SIMULATION OF CROP GROWTH AND FIELD OPERATIONS

Simulation of crop growth and field operations is a powerful tool used in Agricultural Systems Management to model and predict the behavior of crops under different environmental and management scenarios. It involves using computer-based models to simulate the growth of crops, their response to various inputs (e.g., water, nutrients, temperature), and the impact of different field operations.

In agricultural systems management, simulation of crop growth and field operations plays a vital role in planning, optimization, and risk mitigation. Computer models simulate the growth and development of crops based on:

- Weather data (temperature, rainfall, sunlight)
- Soil properties (type, fertility, drainage)
- Crop management practices (planting dates, fertilization, irrigation)

These models predict:

- Potential yield
- Crop water and nutrient needs
- Risk of stress factors (heat, drought, disease)

Field Operations Simulation

- **Planting:** Simulating equipment settings for optimal seed depth and spacing.
- **Irrigation:** Predicting water needs and scheduling efficient irrigation based on weather and crop stage.
- **Fertilizer application:** Optimizing application rates and timing based on simulated crop nutrient demands and soil conditions.


Benefits:

- **Improved planning:** Simulations allow testing different management strategies virtually before implementation, leading to more informed decisions.
- **Risk assessment:** Models can identify potential issues like water shortages or nutrient deficiencies before they occur, allowing for proactive measures.
- **Resource optimization:** Simulations help fine-tune resource use (water, fertilizer) for improved efficiency and reduced waste.
- **Increased profitability:** By optimizing practices and minimizing risks, simulations can contribute to higher yields and economic gains.

Components of Crop Simulation Models

Crop models are essentially collections of mathematical equations that represent the various processes occurring within the plant and the interactions between the plant and its environment. They have become an indispensable tool for estimating the future impacts of climate change on crop yield.

Crop simulation models use quantitative descriptions (as model input data) of ecophysiological processes to predict plant growth and development in relation to factors influencing production, such as environmental conditions and crop management practices. Crop models are generally designed around three key components as shown in Figure



To run a crop model and conduct a simulation, a set of input data is required, sometimes referred to as a **"Minimum Data Set."** These data are needed for model evaluation, model application, and sometimes for model development and improvement.

Such required data include site-specific weather data for the duration of the growing season (preferably for the complete year); soil surface characteristics and soil profile data; crop management information from the experiment that was conducted for model calibration (including at a minimum two key Phenological phases, i.e., **flowering or anthesis** and physiological or harvest maturity, yield, and yield components, are needed as observational data.

It is proposed that data should include data on **plant development, carbon capture, water capture, and nitrogen and phosphorus capture**. This is because plant development or phenology determines the timing and duration of key developmental events, notably flowering (anthesis). As such, it provides the framework within which processes of carbon, water, and nutrient capture and use occur. Minimum required weather data include:

- Latitude and longitude of the weather station
- Daily values of incoming solar radiation (MJ/m²-day)
- Maximum and minimum daily air temperature (°C)
- Daily total rainfall (mm)

Also, the **dry and wet bulb temperatures** and **wind speed**, which allow for simulating evapotranspiration with more robust methods, can be added. The length of weather records for evaluation must, at minimum, cover the duration of the experiment and should preferably begin a few weeks before planting and continue a few weeks after harvest so that **"what-if"** type analyses can be performed.

Soil data include:

- Upper and lower horizon depths (cm)
- Percentage of sand, silt, and clay content
- Bulk density
- Organic carbon
- pH in water
- Aluminum saturation
- Root abundance information

Management data include:

- Planting dates and dates when soil conditions were measured before planting
- Planting density
- Row spacing
- Planting depth
- Crop variety
- Irrigation practices
- Fertilizer practices

These data are needed for both **model evaluation** and **strategy analysis**. In addition to the site, soil, and weather data, experimental data should include observed data such as **crop growth data, soil water, and fertility measurements**, since they are needed for model evaluation.

It is worth noting that this principle of input data set holds across a wide variety of models and crops. These crop- and site-specific details should be calibrated so as to set model simulation runs to local conditions.

Even though some parameters are considered conservative and seldom need to be adjusted during calibration, other parameters should be calibrated against useful field data. The models also include empirically derived parameters that simulate different varieties' performance from the other crop modules found within the models and should be set according to specific crops.

Some of the model approaches used in simulation include:

- Empirical models
- Regional suitability models
- Biophysical models
- Meta-models
- Decision models

Empirical crop models use empirical time series and/or panel data sets of spatial and temporal variation in yield and climate variables to estimate climate–yield relationships.

The empirical crop model approach is mostly applied for agricultural climate impact assessments. The approach is advantageous because it can be applied to fit yield response functions to available data, even if these data are scarce or only available in an aggregated form, such as

monthly climate data. It can also be applied analytically for identifying region-specific main climatic drivers of yield and yield changes.

Predictions of validated models are considered valid within the range of data used to fit the empirical models.

However, their ability to provide correct predictions beyond observed conditions may be hampered by the fact that causal relationships hypothesized based on observed data may not represent the process relationships beyond observations.

On the other hand, **regional suitability models** are usually applied to quantify biophysical land-use potential under current and future climatic conditions at a regional scale.

This approach quantifies the land potential for particular crops and highlights regions of increasing or decreasing suitability for distinct land-use types and shifts in cultivation zones.

It integrates information collected from different sources to give a broad basis for multi-criteria decision-making for **meta-models**. This model is beneficial because it has a reduced run time, which increases the model's feasibility to be applied for exploratory analyses, evaluating many alternative scenarios and their integrative capacity.

Decision models, also termed **bio-economic models**, are usually based on a coupling between a process-based biophysical model or an empirical production model and an economic farm optimization model.

Biophysical models, on their part, simulate biophysical processes, such as plant growth, nutrient and carbon dynamics, water cycling, and flood inundation based on mechanistic process understanding, which is mathematically formalized.

Given that these models integrate various biophysical processes; they provide an excellent basis for testing climate change impacts on multiple agroecosystems. Several models, both static and dynamic, are still being developed and used to simulate agricultural processes. These models exist at the scale level of the individual plant through to the crop as well as the field scale.

They range from models that focus mostly on representing crop growth processes with different degrees of complexity, simulating water limitations to potential crop yields, simulating crop responses to the dynamics of soil water, nutrients, and soil carbon, and integrating the effects of climate and management.

Some of the widely used models include **APSIM, CROPSYST, EPIC, STICS, System Approach to Land Use Sustainability (SALUS), Crop Environment Resource Synthesis (CERES)** models and the **Integrated Valuation of Ecosystem Services and Tradeoffs (InVEST)** model that has been developed to enable decision-makers to assess trade-offs among ecosystem services and to estimate changes in biodiversity under different demographic, land-use, and climate scenarios.

These crop growth models have been used in various studies to help farmers worldwide carry out management decisions, like **sowing time, plant population density, and irrigation regime (timing, frequency)** under many conditions.

Key Aspects Related to the Simulation of Crop Growth:

Here is a detailed explanation of the key aspects related to the simulation of crop growth and field operations:

- **Crop Growth Models:** Crop growth models are mathematical representations of the biological processes that occur during crop **development.** These models take into account various factors such as temperature, light, water availability, and nutrient supply. They help predict how crops will grow and develop over time under different conditions.
- **Environmental Factors:** Simulation models consider environmental factors that affect crop growth, such as temperature, solar radiation, humidity, and precipitation. These models use historical weather data or climate projections to create realistic scenarios for crop growth.
- **Soil Conditions:** Soil characteristics, including texture, organic matter content, and nutrient levels, significantly impact crop growth. Crop simulation models consider soil properties to estimate the availability of water and nutrients to the crops.
- **Crop Management Practices:** Simulation models can incorporate various crop management practices, such as planting dates, irrigation schedules, fertilizer applications, and pest control measures. By adjusting these management parameters, agricultural managers can evaluate different strategies to optimize crop performance.
- **Decision Support Systems:** Simulation models can be integrated into decision support systems, enabling farmers to make informed choices based on simulated outcomes. These systems help identify the most suitable crop varieties, optimal planting dates, and the right amount of inputs required for specific crops.
- **Risk Assessment:** By running simulations under different scenarios, agricultural managers can assess the risk associated with certain management decisions. For example, they can evaluate the impact of a drought on crop yields or the effectiveness of disease control measures.
- **Precision Agriculture:** Simulation models play a crucial role in precision agriculture, where data from remote sensing, soil sensors, and weather stations are used to create site-specific management plans. These plans optimize the use of resources, reduce waste, and improve crop yields.
- **Crop Yield Prediction:** Crop growth simulation models can be used to estimate potential crop yields based on historical or current weather data. This information is valuable for market planning, budgeting, and risk management.
- **Variety Testing and Breeding:** Crop growth models aid in the evaluation of different crop varieties and hybrids. By simulating how different varieties respond to varying environmental conditions, agricultural researchers can identify the most suitable ones for specific regions.

- **Climate Change Adaptation:** With climate change impacting weather patterns, simulation models are valuable tools for studying the potential effects on crop growth. Farmers can use this information to adapt their agricultural practices to changing conditions.
- **Education and Training:** Crop growth simulation models are used in educational settings to train agricultural professionals. They help in understanding the complexities of crop growth and the interactions between different factors affecting agricultural productivity.

Simulation of crop growth and field operations provides valuable insights for agricultural managers to optimize their decision-making processes. By using these models, farmers can develop sustainable and efficient management strategies, adapt to changing environmental conditions, and enhance crop productivity and profitability.