

UNIT – II – TWO DIMENSIONAL VARIABLES

Let S be the sample space. Let $X = X(s)$ and $Y = Y(s)$ be two functions each assigning a real number to each outcome $s \in S$. Then (X, Y) is a two dimensional random variable.

Let X, Y be a two dimensional discrete random variable for each possible outcome (X_i, Y_j) . We associate a number $P(X_i, Y_j)$ representing $[X = x_i, Y = y_j]$ and satisfies the following conditions

- i) $P[x_i, y_j] \geq 0$
- ii) $\sum \sum p(x_i, y_j) = 1$

The function $P[x_i, y_j]$ is called joint probability mass function of x, y

Conditional distribution of X given Y

$$P[X = x_i / Y = y_j] = \frac{P[X = x_i \cap Y = y_j]}{P[Y = y_j]}$$

$$= \frac{P[X = x_i, Y = y_j]}{P[Y = y_j]}$$

$$P[Y = y_j / X = x_i] = \frac{P[Y = y_j \cap X = x_i]}{P[X = x_i]}$$

$$= \frac{P[X = x_i, Y = y_j]}{P[X = x_i]}$$

Test of independent

$$P[X = x_i, Y = y_j] = P[X = x_i] \cdot P[Y = y_j]$$

Problems under on Marginal Distribution

1. The joint probability marginal function of X, Y is given by $P(xy) = K(2x + 3y)$, $x = 0, 1, 2$, $y = 1, 2, 3$ find K. Find all the marginal distribution and conditional probability distribution. Also probability distribution X + Y.

Solution:

	1	2	3	$\sum x$
0	3K	6K	9K	18K
1	5K	8K	11K	24K
2	7K	10K	13K	30K
$\sum y$	15K	24K	33K	72K

We know that $\sum \sum P(x, y) = 1$

$$\Rightarrow 72K = 1$$

$$\Rightarrow K = \frac{1}{72}$$

Marginal distribution

X	0	1	2
P(X)	$\frac{18}{72}$	$\frac{24}{72}$	$\frac{30}{72}$

Y	1	2	3
P(Y)	$\frac{15}{72}$	$\frac{24}{72}$	$\frac{33}{72}$

Conditional distribution at x given y

$$P[X = 0/Y = 1] = \frac{P[X=0, Y=1]}{P[Y=1]} = \frac{3/72}{15/72} = \frac{1}{5}$$

$$P[X = 2/Y = 2] = \frac{P[X=2, Y=2]}{P[Y=2]} = \frac{6/72}{24/72} = \frac{1}{4}$$

$$P[X = 0/Y = 3] = \frac{P[X=0, Y=3]}{P[Y=3]} = \frac{9/72}{33/72} = \frac{3}{11}$$

$$P[X = 1/Y = 1] = \frac{P[X=1, Y=1]}{P[Y=1]} = \frac{5/72}{15/72} = \frac{1}{3}$$

$$P[X = 1/Y = 2] = \frac{P[X=1, Y=2]}{P[Y=2]} = \frac{8/72}{24/72} = \frac{1}{3}$$

$$P[X = 1/Y = 3] = \frac{P[X=1, Y=3]}{P[Y=3]} = \frac{11/72}{33/72} = \frac{1}{3}$$

$$P[X = 2/Y = 1] = \frac{P[X= 2,Y= 1]}{P[Y= 1]} = \frac{7/72}{15/72} = \frac{7}{15}$$

$$P[X = 2/Y = 2] = \frac{P[X= 2,Y= 2]}{P[Y= 2]} = \frac{10/72}{24/72} = \frac{5}{12}$$

$$P[X = 2/Y = 3] = \frac{P[X= 2,Y= 3]}{P[Y= 3]} = \frac{13/72}{33/72} = \frac{13}{33}$$

Conditional distribution at y given x

$$P[Y = 1/X = 0] = \frac{P[Y= 1,X= 0]}{P[X= 0]} = \frac{3/72}{18/72} = \frac{1}{6}$$

$$P[Y = 1/X = 1] = \frac{P[Y= 1,X= 1]}{P[X= 1]} = \frac{5/72}{24/72} = \frac{5}{24}$$

$$P[Y = 1/X = 2] = \frac{P[Y= 1,X= 2]}{P[X= 2]} = \frac{7/72}{30/72} = \frac{7}{30}$$

$$P[Y = 2/X = 0] = \frac{P[Y= 2,X= 0]}{P[X= 0]} = \frac{6/72}{18/72} = \frac{1}{3}$$

$$P[Y = 2/X = 1] = \frac{P[Y= 2,X= 1]}{P[X= 1]} = \frac{8/72}{24/72} = \frac{1}{3}$$

$$P[Y = 2/X = 2] = \frac{P[Y= 2,X= 2]}{P[X= 2]} = \frac{10/72}{30/72} = \frac{1}{3}$$

$$P[Y = 3/X = 0] = \frac{P[Y= 3,X= 0]}{P[X= 0]} = \frac{9/72}{18/72} = \frac{1}{2}$$

$$P[Y = 3/X = 1] = \frac{P[Y= 3,X= 1]}{P[X= 1]} = \frac{11/72}{24/72} = \frac{11}{24}$$

$$P[Y = 3/X = 2] = \frac{P[Y= 3,X= 2]}{P[X= 2]} = \frac{13/72}{30/72} = \frac{13}{30}$$

Distribution function of $x + y$

1	P_{01}	$3/72$
2	$P_{02} + P_{11}$	$11/72$
3	$P_{03} + P_{12} + P_{21}$	$24/72$
4	$P_{13} + P_{22}$	$21/72$
5	P_{23}	$13/72$

2. The joint distribution of X and Y is given by $f(x, y) = \frac{x+y}{21}, x = 1, 2, 3 ; y = 1, 2$.

Find the marginal distributions.

Solution:

Given $f(x, y) = \frac{x+y}{21}, x = 1, 2, 3 ; y = 1, 2$

$$\Rightarrow f(1,1) = \frac{2}{21}, f(1,2) = \frac{3}{21}, f(2,1) = \frac{3}{21}, f(2,2) = \frac{4}{21}, f(3,1) = \frac{4}{21}, f(3,2) =$$

$$\frac{5}{21}$$

The marginal distributions are given in the table.

		X			$P_Y(y)$ $= P(Y = y)$
		1	2	3	
Y	1	$\frac{2}{21}$ P(1,1)	$\frac{3}{21}$ P(1,2)	$\frac{4}{21}$ P(1,3)	$\frac{9}{21}$
	2	$\frac{3}{21}$ P(2,1)	$\frac{4}{21}$ P(2,2)	$\frac{5}{21}$ P(2,3)	$\frac{12}{21}$
$P_X(x) = P(X = x)$		$\frac{5}{21}$	$\frac{7}{21}$	$\frac{9}{21}$	1

The marginal distribution of X

$$P_X(1) = P(X = 1) = \frac{5}{21}, P_X(2) = P(X = 2) = \frac{7}{21}, P_X(3) = P(X = 3) = \frac{9}{21}$$

The marginal distribution of Y

$$P_Y(1) = P(Y = 1) = \frac{9}{21}, P_Y(2) = P(Y = 2) = \frac{12}{21}$$

Problems under on Conditional Distribution

1. The two dimensional random variable (X, Y) has the joint probability mass

function $f(x, y) = \frac{x+2y}{27}, x = 0, 1, 2; y = 0, 1, 2$. Find the conditional

distribution of Y for X= x. Also find the conditional distribution of Y / X = 1

Solution:

We know that the conditional probability distribution of Y for $X = x$ is

$$f\left(\frac{y}{x}\right) = \frac{f(x,y)}{f(x)}$$

where $f(x, y)$ is the joint probability function of X and y.

To find $f(x, y)$ Marginal Distributions

Given $f(x, y) = \frac{x+2y}{27}, x = 0,1,2; y = 0,1,2.$

		X			$P_Y(y)$ $= P(Y = y)$
		0	1	2	
Y	0	0 $P(0,0)$	$\frac{1}{27}$ $P(1,0)$	$\frac{2}{27}$ $P(2,0)$	$\frac{3}{27}$ $P(Y=0)$
	1	$\frac{2}{27}$ $P(0,1)$	$\frac{3}{27}$ $P(1,1)$	$\frac{4}{27}$ $P(2,1)$	$\frac{9}{27}$ $P(Y=1)$
	2	$\frac{4}{27}$ $P(0,2)$	$\frac{5}{27}$ $P(1,2)$	$\frac{6}{27}$ $P(2,2)$	$\frac{15}{27}$ $P(Y=2)$
$P_X(x)$ $= P(X = x)$		$\frac{6}{27}$ $P(X=0)$	$\frac{9}{27}$ $P(X=1)$	$\frac{12}{27}$ $P(X=2)$	1

The Conditional Probability of Y for $X= x$ is given by $f\left(\frac{y}{x}\right) = \frac{f(x,y)}{f(x)}$

By using the above table we get the conditional probability of Y for $X = x$ as follows

When $x = 0,$

$$P[Y = 0/X = 0] = \frac{P[X=0, Y=0]}{P[X=0]} = \frac{0}{6/27} = 0$$

$$P[Y = 1/X = 0] = \frac{P[X=0, Y=1]}{P[X=0]} = \frac{2/27}{6/27} = \frac{1}{3}$$

$$P[Y = 2/X = 0] = \frac{P[X=0, Y=2]}{P[X=0]} = \frac{4/27}{6/27} = \frac{2}{3}$$

When $x = 1$,

$$P[Y = 0/X = 1] = \frac{P[X=1, Y=0]}{P[X=1]} = \frac{1/27}{9/27} = \frac{1}{9}$$

$$P[Y = 1/X = 1] = \frac{P[X=1, Y=1]}{P[X=1]} = \frac{3/27}{9/27} = \frac{1}{3}$$

$$P[Y = 2/X = 1] = \frac{P[X=1, Y=2]}{P[X=1]} = \frac{5/27}{9/27} = \frac{5}{9}$$

When $x = 2$,

$$P[Y = 0/X = 2] = \frac{P[X=2, Y=0]}{P[X=2]} = \frac{2/27}{12/27} = \frac{1}{6}$$

$$P[Y = 1/X = 2] = \frac{P[X=2, Y=1]}{P[X=2]} = \frac{4/27}{12/27} = \frac{1}{3}$$

$$P[Y = 2/X = 2] = \frac{P[X=2, Y=2]}{P[X=2]} = \frac{6/27}{12/27} = \frac{1}{2}$$

Table of $f(y/x)$			
X \ Y	0	1	2
0	0	$\frac{1}{3}$	$\frac{2}{3}$
1	$\frac{1}{9}$	$\frac{1}{3}$	$\frac{5}{9}$
2	$\frac{1}{6}$	$\frac{1}{3}$	$\frac{1}{2}$

The conditional distribution of Y given $X = 1$ is given in the table

Y	Table of $f(y/x = 1)$
0	$P[Y = 0/X = 1] = \frac{P[X = 1, Y = 0]}{P[X = 1]} = \frac{1/27}{9/27} = \frac{1}{9}$
1	$P[Y = 1/X = 1] = \frac{P[X = 1, Y = 1]}{P[X = 1]} = \frac{3/27}{9/27} = \frac{1}{3}$
2	$P[Y = 2/X = 1] = \frac{P[X = 1, Y = 2]}{P[X = 1]} = \frac{5/27}{9/27} = \frac{5}{9}$

2. The joint probability mass function of X and Y is

X \ Y	0	1	2
0	0.10	0.04	0.02
1	0.08	0.20	0.06
2	0.06	0.14	0.30

Find the M.D.F of X and Y. Also $P(X \leq 1, Y \leq 1)$ and check if X and Y are independent.

Solution:

The marginal distributions are given in the table below

X \ Y	0	1	2	P(X = x)
0	0.10	0.04	0.02	0.16
1	0.08	0.20	0.06	0.34
2	0.06	0.14	0.30	0.50
P(Y = y)	0.24	0.38	0.38	1

Now, $P(X \leq 1, Y \leq 1) = p(0,0) + p(1,0) + p(0,1) + p(1,1)$

$$= 0.1 + 0.08 + 0.04 + 0.2 = 0.42$$

To test X and Y are independent

$$P(X = 0)P(Y = 0) = 0.16 \times 0.24 \neq 0.1$$

$$\therefore P(X = 0)P(Y = 0) \neq P(X = 0, Y = 0)$$

\therefore X and Y are independent.

