

### **Q 5: Cataract Genesis (Formation of Cataract)**

A cataract is caused by loss of transparency of the crystalline lens due to structural and biochemical changes in lens proteins. The main mechanisms involved are:

#### **1. Protein Denaturation and Aggregation**

The lens contains soluble crystallin proteins. Aging, radiation, UV light, diabetes, or chemicals cause denaturation of these proteins. Denatured proteins aggregate and scatter light, producing lens opacity.

#### **2. Oxidative Stress**

Free radicals damage lens proteins and cell membranes. Reduced levels of antioxidants (e.g., glutathione) increase oxidative damage. This leads to protein cross-linking and clouding of the lens.

### **3. Radiation-Induced Cataract**

Ionizing radiation damages lens epithelial cells. Causes DNA damage and abnormal cell differentiation. Results in posterior subcapsular cataract.

### **4. Osmotic Imbalance**

In diabetes, excess glucose converts to sorbitol. Sorbitol accumulation increases osmotic pressure. Lens fibers swell and rupture, causing opacity.

### **5. Loss of Lens Fiber Organization**

Normal lens transparency depends on orderly fiber arrangement. Any disruption causes light scattering and cataract formation.

### **6. Reduced Lens Metabolism**

Aging decreases nutrient transport and ATP production. Leads to degeneration of lens fibers.

## **Q 6: Permissible exposures**

Permissible exposure refers to the maximum safe levels of ionizing radiation that individuals can be exposed to without harmful effects such as cancer, genetic mutations, or radiation sickness. **The term "permissible exposure" is used to describe the dose limits set to protect people from the adverse effects of radiation.**

Several regulatory bodies around the world establish radiation safety standards and set permissible exposure limits based on scientific research and public health guidelines. Some of the most prominent regulatory bodies include:

- i. **International Commission on Radiological Protection (ICRP)**

The ICRP provides recommendations on **radiation protection** and safety standards for various exposure scenarios.

ii. **U.S. Environmental Protection Agency (EPA)**

The EPA sets radiation dose limits for the general public and provides guidelines for radiation protection in various environments, including the environment and nuclear plants.

iii. **U.S. Nuclear Regulatory Commission (NRC)**

The NRC regulates **nuclear power plants** and **radiation workers**, providing standards for radiation exposure in occupational settings.

iv. **National Council on Radiation Protection and Measurements (NCRP)**

The NCRP provides recommendations for **radiation protection**, including exposure limits for various situations.

Workers in radiation-related occupations, such as those in **nuclear medicine, radiology, and nuclear power plants**, are exposed to higher levels of radiation than the general public. However, their exposure is **regulated** to minimize the risk of harmful effects. The permissible dose limits for radiation workers are typically higher than those for the general public, but still designed to ensure safety.

The key limits for radiation workers are:

- i. **Annual Limit for Whole Body Exposure:** The permissible exposure limit for the **whole body** is typically set at **50 millisieverts (mSv)** per year.
- ii. **Cumulative Dose:** The cumulative dose is calculated as **(N-18) × 10 mSv**, where **N** is the worker's age in years. For example, a

40-year-old worker should not receive more than **(40-18) × 10 mSv = 220 mSv** over their career.

- iii. **Other Specific Limits:** Separate limits are also set for **skin, hands, and feet** (typically 500 mSv per year) and for specific tissues like the **lens of the eye**, which has a limit of **150 mSv** per year due to its heightened sensitivity to radiation.
- iv. **Annual Limit for Whole Body Exposure:** The permissible exposure for the general public is typically set at **1 millisievert (mSv)** per year, excluding natural background radiation.
- v. **Radiation from Medical Procedures:** Exposure from medical procedures (such as **X-rays** or **CT scans**) is typically accounted for separately. However, efforts are made to minimize these exposures through techniques like **shielding** and **dose reduction**.
- vi. **Exposure from Environmental Sources:** Natural background radiation, which varies by location, is considered separate from permissible exposure limits. However, in areas of high natural background radiation (such as areas with high levels of radon gas), public exposure is carefully monitored.

